




































# GÄNGFORMANDE SKRUVAR

		SIDA
	RXS DIN 7981 C FZB PHI	5:1
	RXS DIN 7981 C FZB POZ	5:1
	RXK DIN 7981 F FZB PHI	5:2
	RXK DIN 7981 F FZB POZ	5:2
	KFXS DIN 7983 C FZB PHI	5:3
	KFXS DIN 7983 C FZB POZ	5:3
	RXS DIN 7981 C SVARTKROM	5:4
	KFXS DIN 7983 C SVARTKROM	5:4
	CSS DIN 7971 C FZB	5:5
	CSK DIN 7971 F FZB	5:5
	KFSS DIN 7973 C FZB	5:6
	FSS DIN 7972 C FZB	5:6
	FXS DIN 7982 C FZB PHI	5:7
	FXS DIN 7982 C FZB POZ	5:7
	KDS FÖRNICKLAD	5:8
	6KSS DIN 7976 C FZB	5:9
	RX-TP-60 FZB POZ	5:10
	TERMOPLASTSKRUV KULLRIG PHI FZB "WN 1412"	5:11
	TERMOPLASTSKRUV KULLRIG TX FZB "WN 1452"	5:11




# GÄNGFORMANDE SKRUVAR

		SIDA
	TERMOPLASTSKRUV FÖRSÄNKT PHI FZB "WN 1413"	5:11
	RX-SPIRALFORM DIN 7516 FORM A FZB	5:12
	RXB DIN 7504 N (M) FZB PHI	5:13
	R6B DIN 7504 K FZB	5:13
	RTS ISO 14585 C FZB TX-KRYSS	5:14
	RTK ISO 14585 F FZB TX-KRYSS	5:14
	FTS TX ISO 14586 C FZB TX-KRYSS	5:15
	MFX-GF DIN 7500-M FZB POZ	5:16
	MRX-GF DIN 7500-C FZB POZ	5:16
	M6SF-GF FZB	5:17
	MC6S-GF DIN 7500-E FZB	5:17
	MFTF-GF TX-KRYSS	5:18
	MFT-GF ISO 14581 FZB TX-KRYSS	5:18
	MRT-GF ISO 14583 FZB TX-KRYSS	5:19
	BSS FZB	5:19
	RXSF DIN 968 C	5:20

# RXS


**PHILLIPS**  
**DIN 7981 C (~ISO 7049)**  
**STÅL FÖRZINKAD**



d	B2	B4	B6	B7	B8	B10	B12	B14
d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
D	4,2	5,6	6,9	7,5	8,2	9,5	10,8	12,5
H	1,8	2,0	2,5	2,7	2,9	3,4	3,8	4,3
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>							
4,5	35	27	29					
6,5	21	16	19		24	35		
8	29	17	22		25	39		
9,5	24	17	19	46	22	26		
13	39	18	20	48	28	34	45	52
16	98	19	23	64	29	36	46	55
19	99	26	29	65	35	39	49	62
22		29	35		38	42	56	69
25		39	48	82	39	44	57	70
32		58	52	92	40	49	59	75
38		99	59	110	45	54	68	86
45			65	158	59	64	115	94
50			69		65	69	89	110
60						190	430	
65					98			198
70					182	334	900	
100						690		
	<b>BEST.EX:</b> RXS STÅL B2 x 4,5 FZB <b>DATA.EX:</b> 7981C220041							

# RXS

**POZIDRIVE**  
**DIN 7981 C (~ISO 7049)**  
**STÅL FÖRZINKAD**




d	B2	B4	B6	B7	B8	B10	B12	B14
d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
D	4,2	5,6	6,9	7,5	8,2	9,5	10,8	12,5
H	1,8	2,0	2,5	2,7	2,9	3,4	3,8	4,3
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>							
4,5	35							
6,5	21	16	19		24			
8	29	17	22		25			
9,5	24	17	19	46	22	26	99	
13	39	18	20	48	28	34	45	169
16	98	19	23	64	29	36	46	55
19		26	29	65	35	39	49	62
22		29	35		38	42	56	
25		39	48		39	44	57	70
32		58	52		40	49	59	75
38		99	59		45	54	68	86
45			65		59	64	296	120
50			69		76	69	89	129
55						98		
	<b>BESTEX:</b> RXS STÅL B2 x 4,5 FZB POZ <b>DATAEX:</b> 7981C220041Z							

## FÖRPACKNINGAR

ST	
1000	GÄLLER SAMTLIGA DIMENSIONER OVAN.

# RXX


**PHILLIPS**  
**DIN 7981 F (~ISO 7049)**  
**STÅL FÖRZINKAD**



d	B2	B4	B6	B7	B8	B10	B12
d	2,2	2,9	3,5	3,9	4,2	4,8	5,5
D	4,2	5,6	6,9	7,5	8,2	9,5	10,8
H	1,8	2,0	2,5	2,7	2,9	3,4	3,8
L	PRIS KRONOR PER 100 ST.						
4,5	35	27	29				
6,5	21	16	19		24	29	
8	29	17	22		25	39	
9,5	24	17	19	46	22	26	190
13	39	18	20	48	28	34	73
16	98	19	23	64	29	39	210
19		26	29	65	46	55	
22		29	35		51	62	
25		39	48	82	52	94	
32			108		84	99	
38							
<b>BEST.EX:</b> RXX STÅL B2 x 4,5 FZB <b>DATA.EX:</b> 7981F220041							

# RXX

**POZIDRIVE**  
**DIN 7981 F (~ISO 7049)**  
**STÅL FÖRZINKAD**




d	B2	B4	B6	B8	B10
d	2,2	2,9	3,5	4,2	4,8
D	4,2	5,6	6,9	8,2	9,5
H	1,8	2,2	2,6	3,05	3,55
L	PRIS KRONOR PER 100 ST.				
4,5	35	27	29		
6,5	21	16	19	24	29
8		17	22	25	39
9,5	24	17	19	22	26
13	39	18	20	28	34
16		19	23	29	39
19		26	29	46	55
22			35	51	62
25			48	52	94
32				84	99
<b>BEST.EX:</b> RXX STÅL B2 x 4,5 FZB POZ <b>DATA.EX:</b> 7981F220041Z					

## FÖRPACKNINGAR

ST	
1000	GÄLLER SAMTLIGA DIMENSIONER OVAN.

# KFXS

**PHILLIPS**  
**DIN 7983 C (~ISO 7051)**  
**STÅL FÖRZINKAD**




d	B2	B4	B6	B7	B8	B10	B12	B14
d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
D	4,3	5,5	6,8	7,5	8,1	9,5	10,8	12,4
H	1,3	1,7	2,1	2,3	2,5	3,0	3,4	3,8
L	PRIS KRONOR PER 100 ST.							
6,5	21	16	99					
9,5	24	17	19	79	35	38		
13	39	18	20	80	28	34	95	126
16		19	23	81	29	36	77	126
19		26	29	82	35	39	60	96
22		29	42	85	38	42	65	111
25		39	48	100	39	44	68	111
32			52		40	49	69	119
38			59		45	54	74	131
45					59	90	190	
50					65	120	99	183
70						390		
<b>BEST.EX:</b> KFXS STÅL B2 x 6,5 FZB <b>DATA.EX:</b> 7983C220061								

## FÖRPACKNINGAR

ST	B2	B4	B6	B7	B8	B10	B12	B14
1000	6,5-13	6,5-25	6,5-38	9,5-25	9,5-38	9,5-38	13-38	13-38
500					45-50	45-70	45-50	50

# KFXS

**POZIDRIVE**  
**DIN 7983 C (~ISO 7051)**  
**STÅL FÖRZINKAD**




d	B2	B4	B6	B7	B8	B10	B12	B14
d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
D	4,3	5,5	6,8	7,5	8,1	9,5	10,8	12,4
H	1,3	1,7	2,1	2,3	2,5	3,0	3,4	3,8
L	PRIS KRONOR PER 100 ST.							
6,5	29	29						
9,5	31	29	34		59			
13	34	31	36	80	39	57	160	
16		32	37	81	44	67	112	125
19		33	38	82	46	53	80	123
22			42		49			
25		41	42	100	49	59	90	139
32			42		59	64	92	148
38			54		72	96	98	162
45			96			99	190	
50			188		79	172	198	390
<b>BEST.EX:</b> KFXS STÅL B2 x 9,5 FZB POZ <b>DATA.EX:</b> 7983C220061Z								

## FÖRPACKNINGAR

Pcs/St	B2	B4	B6	B7	B8	B10	B12	B14
1000	6,5-13	6,5-25	9,5-50	13-25	9,5-38	13-38	13-38	16-38
500					50	45-50	45-50	50

# RXS


PHILLIPS  
DIN 7981 C (~ISO 7049)  
STÅL SVARTKROM



<b>d</b>	B4	B6	B8	B10
<b>d</b>	2,9	3,5	4,2	4,8
<b>D</b>	5,6	6,9	8,2	9,5
<b>H</b>	2,0	2,5	2,9	3,4
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>			
6,5	29	38		
9,5	30	39	42	
13	32	45	49	74
16		47	55	79
19		48	59	87
22		95		
25		55	74	
32			140	
38			149	
45			190	
	<b>BEST.EX:</b> RXS STÅL B4 x 6.5 SVARTKROM <b>DATA.EX:</b> 7981C29006ZB			

# KFXS

PHILLIPS  
DIN 7983 C (~ISO 7051)  
STÅL SVARTKROM




<b>d</b>	B6	B8
<b>d</b>	3,5	4,2
<b>D</b>	6,8	8,1
<b>H</b>	2,1	2,5
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>	
13	45	
19		66
32		149
38		162
	<b>BEST. EX:</b> KFXS STÅL B6 x 13 SVARTKROM <b>DATA.EX:</b> 7983C35013ZB	

## FÖRPACKNINGAR

ST	
1000	GÄLLER SAMTLIGA DIMENSIONER OVAN

# CSS

## DIN 7971 C (~ISO 1481) STÅL FÖRZINKAD




d	B2	B4	B6	B7	B8	B10	B12	B14
d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
D	4,2	5,6	6,9	7,5	8,2	9,5	10,8	12,5
H	1,35	1,75	2,1	2,25	2,45	2,8	3,2	3,65
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>							
4,5	35							
6,5	21	16	19	99				
8		20	69					
9,5	24	17	19	57	24	28		
13	39	18	20	59	28	34	45	179
16	98	19	23	63	29	36	46	205
19		26	29	81	35	39	49	227
22		29	35		38	42	56	
25		39	48	95	39	44	57	235
32		58	54	107	40	49	59	350
38			61		45	54	68	390
45					59	129	315	420
50			234		181	69	338	440
<b>BEST.EX:</b> CSS STÅL B2 x 4,5 FZB <b>DATA.EX:</b> 7971C220041								

### FÖRPACKNINGAR

ST	B2	B4	B6	B7	B8	B10	B12	B14
1000	4,5-16	6,5-32	6,5-32	6,5-32	9,5-32	9,5-32	13-32	13-32
500			38-50		38-50	38-50	38-50	38-50

# CSK

## DIN 7971 F (~ISO 1481) STÅL FÖRZINKAD




d	B2	B4	B6	B7	B8	B10	B12
d	2,2	2,9	3,5	3,9	4,2	4,8	5,5
D	4,2	5,6	6,9	7,5	8,2	9,5	10,8
H	1,35	1,75	2,1	2,25	2,45	2,8	3,2
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>						
4,5	35	45					
6,5	21	26	38	71	39	83	
8	29	47	60		54		
9,5	24	27	37	71	47	77	
13	39	28	39	89	56	83	149
16	98	33	43	93	59	120	135
19		36	49		65	122	153
22		74	55		95	162	
25			69		99	162	198
32			153			225	
38							263
45						290	
<b>BEST.EX:</b> CSK STÅL B2 x 4,5 FZB <b>DATA.EX:</b> 7971F220041							

### FÖRPACKNINGAR

ST	B2	B4	B6	B7	B8	B10	B12
1000	4,5-16	4,5-22	6,5-32	6,5-16	6,5-25	6,5-45	13-38

# KFSS

## DIN 7973 C (~ISO 1483) STÅL FÖRZINKAD




d	B2	B4	B6	B7	B8	B10	B12	B14
d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
D	4,3	5,5	6,8	7,5	8,1	9,5	10,8	12,4
H	1,3	1,7	2,1	2,3	2,5	3,0	3,4	3,8
L	PRIS KRONOR PER 100 ST.							
6,5		36	72					
9,5	54	38	36	62	54			
13	57	39	39	62	56	78	114	270
16	62	42	42	63	57	86	123	156
19		44	48	75	63	90	134	176
22		56	56		77	101	138	210
25		62	63	104	78	104	146	233
32			77		93	131	186	252
38			122		98	134	207	273
45					158	156	213	338
50					216	219	240	345
70						366		
<b>BEST.EX:</b> KFSS STÅL B2 x 9,5 FZB <b>DATA.EX:</b> 7973C220061								

### FÖRPACKNINGAR

ST	B2	B4	B6	B7	B8	B10	B12	B14
1000	9,5-16	6,5-25	6,5-32	9,5-25	9,5-32	13-32	13-32	13-32
500			38		38-50	38-70	38-50	38-50

# FSS

## DIN 7972 C (~ISO 1482) STÅL FÖRZINKAD



d	B2	B4	B6	B7	B8	B10	B12	B14
d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
D	4,3	5,5	6,8	7,5	8,1	9,5	10,8	12,4
H	1,3	1,7	2,1	2,3	2,5	3,0	3,4	3,8
L	PRIS KRONOR PER 100 ST.							
6,5	39	35						
9,5	45	39	45	57	68			
13	48	44	48	63	71	93	170	207
16	53	45	62	63	75	102	180	219
19		48	66	71	75	102	190	233
22		66	71		89	120	195	252
25		71	77	90	89	129	198	270
32		135	81	102	116	138	234	314
38			99	129	131	149	266	351
45					147	207	296	405
50					171	228	338	423
<b>BEST.EX:</b> FSS STÅL B2 x 6,5 FZB <b>DATA.EX:</b> 7972C220061								


### FÖRPACKNINGAR

ST	B2	B4	B6	B7	B8	B10	B12	B14
1000	6,5-16	6,5-32	9,5-32	9,5-32	9,5-32	13-32	13-32	13-32
500			38	38	38-50	38-50	38-50	38-50



# FXS

## PHILLIPS DIN 7982 C (~ISO 7050) STÅL FÖRZINKAD




d	B2	B4	B6	B7	B8	B10	B12	B14
d	2,2	2,9	3,5	3,9	4,2	4,8	5,5	6,3
D	4,3	5,5	6,8	7,5	8,1	9,5	10,8	12,4
H	1,3	1,7	2,1	2,3	2,5	3,0	3,4	3,8
L	PRIS KRONOR PER 100 ST.							
4,5	63							
6,5	50	17	29					
9,5	62	18	19	71	59	43		
13	65	19	20	72	28	34	224	
16	98	20	23	75	29	36	156	219
19		26	29	81	35	39	120	249
22		32	35	86	38	69	194	
25		72	48	99	39	44	135	308
32		135	52	113	40	49	138	368
38			59	140	45	54	186	370
45					171	224	351	471
50			69		85	127	190	563
70							675	590
<b>BEST.EX:</b> FXS STÅL B2 x 4,5 FZB <b>DATA.EX:</b> 7982C220041								

### FÖRPACKNINGAR

ST	B2	B4	B6	B7	B8	B10	B12	B14
1000	4,5-16	6,5-32	6,5-32	9,5-32	9,5-32	9,5-32	13-32	16-32
500			38-50	38	38-50	38-50	38-70	38-70

# FXS

## POZIDRIVE DIN 7982 C (~ISO 7050) STÅL FÖRZINKAD




d	B2	B4	B6	B8	B10	B12	B14
d	2,2	2,9	3,5	4,2	4,8	5,5	6,3
D	4,3	5,5	6,8	8,1	9,5	10,8	12,4
H	1,3	1,7	2,1	2,5	3	3,4	3,8
L	PRIS KRONOR PER 100 ST.						
6,5	49	40					
9,5	62	47	52	69			
13	65	47	52	71	76		
16	98	59	54	76	87		
19		66	56	79	89	194	
22				85			
25		72	66	85	109	195	189
32			69	86	133	248	339
38			78	96	154	339	
45			149	99	220		
50					253	414	563
60					290		
<b>BEST.EX:</b> FXS STÅL B2 x 6,5 FZB POZ <b>DATA.EX:</b> 7982C220061Z							

### FÖRPACKNINGAR

ST	B2	B4	B6	B8	B10	B12	B14
1000	6,5-16	6,5-25	9,5-32	9,5-32	13-32	19-32	25-32
500			38-45	38-45	38-60	38-50	50

# KDS

ANSI B18.6.4 (SMS 1549)  
STÅL FÖRNICKLAD



Nr	00	0	2	4	6	7	8	10	12
d	1,5	1,9	2,5	2,9	3,5	3,86	4,16	4,55	5,31
D	2,3	3,0	3,7	4,9	6,1	6,7	7,3	8,5	9,7
H	0,7	1,0	1,5	1,9	2,3	2,5	2,7	3,1	3,5
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>								
3,2	19	20	23						
4	19								
5	20	21	25	28					
6,4	34	22	26	30	43				
7,9			59	60	69	146	190		
9,5				71	95	148	195	179	
12,7						151	198	211	227
15,9							205	237	
19									292
<b>BEST.EX:</b> KDS NR 00 x 3 FNB <b>DATA.EX:</b> DS000034									

## FÖRPACKNINGAR

ST	
1000	NR00-NR6
500	NR7-NR12




Allt är möjligt inom fästelement  
när Du väljer BUFAB som leverantör.

Kontakta vår marknadsavdelning.  
Välkommen med förfrågan!

# 6KSS

DIN 7976 C (~ISO 1479)  
STÅL FÖRZINKAD



d	B4	B6	B7	B8	B10	B12	B14	B16
d	2,9	3,5	3,9	4,2	4,8	5,5	6,3	8,0
N	5,0	5,5	7,0	7,0	8,0	8,0	10,0	13,0
H	1,5	2,3	2,3	2,8	3,0	4,0	4,8	5,8
L	PRIS KRONOR PER 100 ST.							
6,5	92	99	111					
9,5	86	57	86	94	124			
13	89	59	91	74	101	157	181	
16	109	89	116	81	107	170	189	502
19	111	98	120	85	118	182	209	506
22		99	130	111	160	190	224	
25		110	142	152	161	260	241	749
32				160	248	280	309	790
38		155		176	285	320	339	840
45				276	327	396	485	950
50				356		453	554	990
60							627	



**BEST.EX:** 6KSS STÅL B4 x 6,5 FZB  
**DATA.EX:** 7976C290061

## FÖRPACKNINGAR

ST	B4	B6	B7	B8	B10	B12	B14	B16
2000	6,5-19							
1000		6,5-38	6,5-19	9,5-16				
500			22-25	19-50	9,5-25	13-22		
250					32-45	25-50	13-60	16-32
100								38-50

# RX-TP-60

**POZIDRIVE  
SKRUV FÖR PLASTMATERIAL  
STÅL FÖRZINKAD**



NR	2-28	4-20	6-19	8-16
d	2,34	3,23	3,73	4,70
D	4,2	5,5	6,9	8,2
H	1,8	2,3	2,7	3,2
L	<b>PRIS KRONOR PER 100 ST.</b>			
6	27	42		
8	27	45	46	
10	29	46	49	
12	38	48	52	59
16	49	49	54	63
20		50	63	69
25				81

**BEST.EX:** RX-TP-60 STÅL 2-28 x 6 FZB POZ  
**DATA.EX:** RXTPO228061

## FÖRPACKNINGAR


ST	2-28	4-20	6-19	8-16
1000	GÄLLER SAMTLIGA DIMENSIONER OVAN.			



**Har direktkontakt med över 500 tillverkare  
i Europa och Fjärran Östern.**

# TPPC


SKRUV FÖR TERMOPLAST  
PHILLIPS, KULLRIG SKALLE "WN 1412"  
STÅL FÖRZINKAD



<b>d</b>	2,5	3,0	3,5	4,0	5,0	
<b>D</b>	4,4	5,3	6,1	7,0	8,8	
<b>MEJSEL NR</b>	1	1	2	2	2	
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>				<b>FÖRPACKNINGAR</b>	
6	127	130			1000 ST	
8	128	131	124	141		
10	130	132	130	148		231
12	135	133	132	151		245
14	139	135	139	156		246
16	140	137	146	167		267
20	145	141	155	180		286
25		187	203	244		309
30		205	217	263		339
35			248	284		378
40						441
<b>BEST.EX:</b> TERMOPLASTSKRUV KULLRIG PHILLIPS STÅL "WN 1412" 2,5 x 6 FZB					<b>DATA.EX:</b> TPPC25006H1	

# TPPT


SKRUV FÖR TERMOPLAST  
TX-KRYSS, KULLRIG SKALLE "WN 1452"  
STÅL FÖRZINKAD



<b>d</b>	2,5	3,0	3,5	4,0	
<b>D</b>	4,2	5,6	6,9	7,5	
<b>TX</b>	T8	T10	T10	T20	
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>			<b>FÖRPACKNINGAR</b>	
6	155	162		1000 ST	
8	145	149	161		174
10	149	155	165		188
12	154	157	171		197
16	162	170	185		211
20			195		227
25			250		311
30			274		329
<b>BEST.EX:</b> TERMOPLASTSKRUV KULLRIG TX STÅL "WN 1452" 2,5 x 6 FZB					<b>DATA.EX:</b> TPPT250061

# TPCC


SKRUV FÖR TERMOPLAST  
PHILLIPS, FÖRSÄNKT SKALLE "WN 1413"  
STÅL FÖRZINKAD



<b>d</b>	2,5	3,0	3,5	4,0	
<b>D</b>	4,7	5,5	7,3	8,4	
<b>MEJSEL NR</b>	1	1	2	2	
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>			<b>FÖRPACKNINGAR</b>	
6	132			1000 ST	
8	122	126	135		
10	126	129	138		161
12	135	137	147		168
14		138	149		169
16	135	145	155		175
20	143	154	162		196
25			207		
<b>BEST.EX:</b> TERMOPLASTSKRUV FÖRSÄNKT PHILLIPS STÅL "WN 1413" 2,5 x 6 FZB					<b>DATA.EX:</b> TPCC25006H1

# RX-SPIRALFORM

**PHILLIPS**  
**DIN 7516 FORM A**  
**STÅL FÖRZINKAD**




d	M3	M4	M5	M6	M8
<b>D</b>	6,0	8,0	10,0	12,0	16,0
<b>H</b>	2,4	3,1	3,8	4,6	6,0
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>				
6	149	195			
8	135	179	270	410	
10	137	183	225		
12	141	188	234	410	
16	144	194	237	426	773
20	159	207	260	458	813
25		209	275	480	860
30		221	291	498	926
35		242	309	558	1007
40		252	327	602	1224
45		266	345	647	1454
50		332	363	689	1683
60		441	476	903	2150
70		575	611	1160	2708
80		737	773	1466	
90			968	1835	
100			1200	2276	
<b>BEST.EX:</b> DIN 7516 FORM A M3 x 6 FZB <b>DATA.EX:</b> 7516A030061					

## FÖRPACKNINGAR

ST	M3	M4	M5	M6	M8
1000	6-20	6-25	8-16		
500		30-50	20-50	8-25	
200		60-80	60-100	30-100	16-70

# RXB


PHILLIPS, SJÄLVBORRANDE OCH  
GÄNGFORMANDE  
DIN 7504 N (M) (~ISO 15481)  
STÅL FÖRZINKAD



d	B4	B6	B7	B8	B10	B12	B14
d	2,9	3,5	3,9	4,2	4,8	5,5	6,3
D	5,6	7,0	7,5	8,0	9,5	11,0	12,0
H	2,4	2,6	2,8	3,1	3,7	4,0	4,6
L	PRIS KRONOR PER 100 ST.						
9,5	90	55					
13	92	68	97	60	66		
16	94	70	101	75	83		
19	107	73	112	78	86	197	290
22		115	152	125	165	213	323
25		120	155	82	96	221	337
32			205	153	109	236	360
38					146	255	370
45					215	285	1083
50					257	315	1179
70					490		
<b>BEST.EX:</b> RXB STÅL B4 x 9,5 FZB <b>DATA.EX:</b> 7504N290091							

# R6B

SJÄLVBORRANDE OCH GÄNGFORMANDE  
DIN 7504 K, ISO 15480  
STÅL FÖRZINKAD



d	B6	B8	B10	B12	B14
d	3,5	4,2	4,8	5,5	6,3
D	8,3	8,8	10,5	11	13,5
N	5,5*	7,0*	8,0	8,0	10,0
H	3,45	4,1	4,3	5,4	5,9
L	PRIS KRONOR PER 100 ST.				
9,5	68				
13	69	62	77		
16	125	63	80		
19	132	70	82	116	156
22	137	158	83	237	157
25	140	170	84	149	172
32		177	90	153	180
38			221	155	186
45			273	342	468
50			293	398	204
<b>BEST.EX:</b> R6B STÅL B6 x 9,5 FZB <b>DATA.EX:</b> 7504K350091					


\* Kan även på förfrågan levereras med 1/4" nyckelgrepp.

## FÖRPACKNINGAR

ST	B4	B6	B7	B8	B10	B12	B14
1000	9,5-19	9,5-25	13-32	13-32	13-32		
500					38-50	19-50	19-50
250					70		

# RTS

**TX-KRYSS  
ISO 14585 C  
STÅL FÖRZINKAD**




d	B2	B4	B6	B8	B10	B12	B14
d	2,2	2,9	3,5	4,2	4,8	5,5	6,3
D	4,0	5,6	7,0	8,0	9,5	11,0	12,0
H	1,6	2,4	2,6	3,1	3,7	4,0	4,6
TX	T6	T10	T15*	T20	T25	T25	T30
L	PRIS KRONOR PER 100 ST.						
6,5	39	24	35	59			
8		49	53				
9,5		29	36	40	65		
13	98	31	38	45	66	75	129
16		32	40	49	72	99	150
19		35	49	55	75	146	155
22		39	59	69	182	278	327
25		59	62	75	79	160	170
32			65	78	95	179	195
38			230	95	129	190	217
50				149	390	198	242
<b>BEST.EX:</b> RTS STÅL B2 x 6,5 FZB <b>DATA.EX:</b> 14585C220061							

\*Dimension ST-3,5 finns även med kryss T10.

# RTK

**TX-KRYSS  
ISO 14585 F  
STÅL FÖRZINKAD**



d	B2	B4	B6	B8	B10	B12
d	2,2	2,9	3,5	4,2	4,8	5,5
D	4,0	5,6	7,0	8,0	9,5	11,0
H	1,6	2,4	2,6	3,1	3,7	4,0
TX	T6	T10	T15*	T20	T25	T25
L	PRIS KRONOR PER 100 ST.					
4,5		56	112			
6,5		49	59	81	79	
8				99		
9,5	37	58	67	71	98	
13		60	69	77	105	
16		67	73	89	186	
19		86	75	94	210	
22		93				340
25			110		232	
32			110		249	
<b>BEST.EX:</b> RTK STÅL TX B2 x 9,5 FZB <b>DATA.EX:</b> 14585F220091						

\*Dimension ST-3,5 finns även med kryss T10.


## FÖRPACKNINGAR

ST	
1000	GÄLLER SAMTLIGA DIMENSIONER OVAN.



# FTS

**TX-KRYSS**  
**ISO 14586 C**  
**STÅL FÖRZINKAD**




d	B4	B6	B8	B10
d	2,9	3,5	4,2	4,8
D	5,5	7,3	8,4	9,3
H	1,7	2,35	2,6	2,8
TX	T10	T15*	T20	T25
L	PRIS KRONOR PER 100 ST.			
6,5	38			
9,5	54	47	62	
13	70	52	70	93
16	76	58	78	101
19	69	65	83	126
22	85	79	101	128
25	73	85	108	125
32	90	103	114	159
38		147	134	186
50			236	307
<p>Flertal av artiklarna finns även med skallmått enl. DIN 7982.            Dimension ST-3,5 levereras då med kryss T10*.</p> <p><b>BEST.EX:</b> FTS TX STÅL FZB  <b>DATA.EX:</b> 14586C290061</p>				

## FÖRPACKNINGAR

ST	
1000	GÄLLER SAMTLIGA DIMENSIONER OVAN.

# MFX-GF

POZIDRIVE  
M-GÄNGA,  
DIN 7500-M GÄNGFORMANDE  
STÅL FÖRZINKAD




d	M3	M4	M5	M6
D	5,6	7,4	9,2	11,0
H	1,65	2,2	2,5	3,0
L	<b>PRIS KRONOR PER 100 ST.</b>			
6	53			
8	54	77	149	
10	55	78	95	
12	59	90	99	195
16	88	95	125	180
20	97	98	135	196
25		99	145	215
30		180	290	225
40			320	257
50				299

**Viktig information angående vätesprödhet, se sida T:15**

**BEST.EX:** MFX-GF STÅL M3 x 6 FZB POZ  
**DATA.EX:** 7500M030061Z

# MRX-GF

POZIDRIVE  
M-GÄNGA  
DIN 7500-C GÄNGFORMANDE  
STÅL FÖRZINKAD



d	M2,5	M3	M4	M5	M6
D	5,0	6,0	8,0	10,0	12,0
H	2,0	2,4	3,1	3,8	4,6
L	<b>PRIS KRONOR PER 100 ST.</b>				
4	77				
5	72	56			
6	77	49	55	98	
8	77	53	59	90	
10	80	55	65	95	132
12	82	59	69	99	139
16		65	77	110	148
20		69	85	119	170
25		180	95	130	236
30		190	110	139	262
40			220	169	295
50					510

**Viktig information angående vätesprödhet, se sida T:15**


**BEST.EX:** MRX-GF STÅL M2,5 x 4 FZB POZ  
**DATA.EX:** 7500C0250041Z

## FÖRPACKNINGAR

ST	M2,5	M3	M4	M5	M6
1000	4-12	5-30	6-40	6-40	10-20
500					25-50

# M6SF-GF

**VOLVO 1052342**  
~DIN 7500-D MED FLÄNS GÄNGFORMANDE  
STÅL FÖRZINKAD



d	M3	M4	M5	M6	M8	M10
<b>D</b>	7	9,5	11	13,8	17,7	21,6
<b>H</b>	3	3,5	5	6,5	8,2	10,0
<b>N</b>	5	7	8	10	12	14
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>					
6	110	99				
8	115	95	118			
10	120	97	90	120		
12		98	92	129	380	
16		121	95	138	276	
20		129	99	152	280	932
25		141	165	179	299	977
30		156	184	382	440	998
40			290	490	480	1095
50				790	570	1218

**BEST.EX:** M6SF-GF STÅL M3 x 6 FZB  
**DATA.EX:** M6SFGF030061

**Viktig information angående vätesprödhet, se sida T:15**

## FÖRPACKNINGAR

ST	M3	M4	M5	M6	M8	M10
1000	6-10					
500		6-30	8-40	10-50	12-20	
200					25-50	20-50

# MC6S-GF

**M-GÄNGA**  
DIN 7500-E GÄNGFORMANDE  
STÅL FÖRZINKAD



d	M4	M5	M6	M8	M10
<b>D</b>	7	8,5	10	13	16
<b>H</b>	4	5	6	8	10
<b>N</b>	3	4	5	6	8
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>				
10	98	153	210		
12		154	210		
16		155	221	420	
20		169	239	440	
25		220	280	465	
30		224	325	540	
35				549	
40				598	840
45					960

**BEST.EX:** MC6S-GF STÅL M4 x 10 FZB  
**DATA.EX:** 7500E040101


**Viktig information angående vätesprödhet, se sida T:15**

## FÖRPACKNINGAR

ST	M4	M5	M6	M8	M10
1000	10				
500		10-30	10-30		
200				16-40	40-45

# MFTF-GF


**TX-KRYSS M-GÄNGA  
GÄNGFORMANDE (~DIN 7500M)  
STÅL FÖRZINKAD**



<b>d</b>	M6	M8		
<b>D</b>	15,7	21,0		
<b>H</b>	5,0	6,5		
<b>TX</b>	T30	T40		
<b>GÄNGLÄNGD b</b>	30	40		
	<b>Viktig information angående vätesprödhet, se sida T:15</b>			
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>	<b>FÖRP.</b>	<b>PRIS KRONOR PER 100 ST.</b>	<b>FÖRP.</b>
20	198	500		
30	210	500	372	200
45	243	500	398	200
60	297	500	490	200
80			688	200
	<b>BEST.EX:</b> MFTF-GF STÅL TX M6 x 20 FZB <b>DATA.EX:</b> MFTFGF060201			

# MFT-GF

**TX-KRYSS M-GÄNGA  
ISO 14581 +GÄNGFORMANDE (~DIN 7500M)  
STÅL FÖRZINKAD**



<b>d</b>	M2,5	M3	M4	M5	M6	M8	M10	
<b>D</b>	4,7	5,6	8,4*	9,2	11,3	15,8	18,3	
<b>H</b>	1,2	1,65	2,7	2,5	3,3	4,6	5,0	
<b>TX</b>	T8	T10	T20	T25	T30	T45	T50	
<b>L</b>	<b>PRIS KRONOR PER 100 ST.</b>							
6	116							
8	119	110	141	280				
10	123	114	119	260				
12	137	126	123	194	310			
16	155	141	150	212	266			
20		189	194	230	275			
25		209	227	294	294			
30			266	306	324	372		
40			335	149	441	390		
50				630				
	<b>BEST.EX:</b> MFT-GF STÅL TX M2,5 x 6 FZB <b>DATA.EX:</b> 14581GF0250061						<b>Viktig information angående vätesprödhet, se sida T:15</b>	
							*Mindre skalle, likt DIN 965 levereras ofta. D=7,4, H=2,2	


## FÖRPACKNINGAR

ST	
1000	GÄLLER SAMTLIGA DIMENSIONER OVAN

# MRT-GF

TX-KRYSS  
M-GÄNGA

ISO 14583 +GÄNGFORMANDE, DIN 7500-PE  
STÅL FÖRZINKAD



d	M2,5	M3	M4	M5	M6	M8
D	5,0	5,6	8,0	9,5	12,0	16,0
H	2,1	2,4	3,1	3,7	4,6	6,0
TX	T8	T10	T20	T25	T30	T45


L	PRIS KRONOR PER 100 ST.						FÖRPACKNINGAR
4		99					M2,5-M5 SAMT M6 10-16 1000 ST
5	79	58					
6	76	59	65	129			
8	79	60	69	82			
10	94	62	70	85	117		
12	97	65	75	97	130	430	
14		73		99			
16	106	73	80	110	149		
20	140	75	89	128	175	480	
25		150	99	239	190		
30			129	245	195		
35			160				
40			190	299	396		
50					590		

<b>BEST.EX:</b> MRT-GF STÅL TX M2,5 x 5 FZB							<b>Viktig information angående vätessprödhet, se sida T:15</b>
<b>DATA.EX:</b> 14583GF0250051							

# BSS

BORRANDE, KRAGANDE OCH  
GÄNGFORMANDE SKRUV FÖR PLÅT UTAN  
FÖREGÅENDE HÅLTAGNING  
STÅL FÖRZINKAD



<b>GÄNGA</b>	B8
d	4,3
D	8,3
H	2,9
N tum	1/4"
N mm	6,35


L	PRIS KRONOR PER 100 ST.	FÖRPACKNINGAR
13	47	1000 ST

<b>BEST.EX:</b> BSS STÅL 4,3 x 13 FZB		<b>Viktig information angående vätessprödhet, se sida T:15</b>
<b>DATA.EX:</b> BSS070131		

# RXSF

PHILLIPS  
DIN 968 C  
STÅL FÖRZINKAD



d	B4	B6	B8	B10	
d	2,9	3,5	4,2	4,8	
D	7,5	9	10	11,5	
L	PRIS KRONOR PER 100 ST.				FÖRPACKNINGAR
6,5	61	72			Samtliga 1000 st
9,5	72	77	114	154	
13	75	82	119	154	
16	75	95	126	152	
19		93	137	223	
Vissa dimensioner finns även enl. brittisk standard BS 4174 med fläns.					
<b>BEST.EX:</b> DIN 968 STÅL 2,9 x 6,5 FZB <b>DATA.EX:</b> 968C290061					